

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	99	((("5664112") or ("4933048") or ("4954087") or ("5096669") or ("5112455") or ("5124661") or ("5200051") or ("5447440") or ("6379883") or ("6381576") or ("6438498") or ("4636950") or ("4737910") or ("4943939") or ("5065315") or ("5168445") or ("5178417") or ("5305199") or ("5310997") or ("5374813") or ("5380994") or ("5548110") or ("5638519") or ("5646389") or ("5675744") or ("5752234") or ("5781442") or ("5991728") or ("5995937") or ("5996889") or ("6018713") or ("6098892") or ("6108588") or ("6151536") or ("6223137") or ("6260761") or ("6366890") or ("6519569") or ("6532399") or ("6542902") or ("6597969") or ("6611846") or ("6718285") or ("6801913") or ("6915170") or ("20030023501") or ("20030023503") or ("20030110104") or ("20030172009") or ("20030195770") or ("20040162768") or ("20040195309") or ("4135241") or ("4688026") or ("4967928") or ("5332315") or ("5382784") or ("5434775") or ("5442669") or ("5495250") or ("5542420") or ("5595356") or ("5597995") or ("5640002") or ("5790409") or ("5812986") or ("5838253") or ("5845264") or ("5887176") or ("5912818") or ("5949335") or ("5953234") or ("5953707") or ("5963134") or ("5993046") or ("6059544") or ("6155975") or ("6170746") or ("6188990") or ("6195006") or ("6232876") or ("6238623") or ("6249774") or ("6339732") or ("6357662") or ("6415978") or ("6557758") or ("6632654") or ("6636780") or ("6640159") or ("6648223") or ("6664887") or ("6758403") or ("6763996") or ("6795376") or ("6924148") or ("6959862") or ("6967563") or ("6985408")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/07 20:31

EAST Search History

L2	2	((("4151913") or ("4422584"))).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/07 20:34
L3	1	("5947890").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/07 20:35
L4	2	((("20010034614") or ("20020059030"))).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/07 20:36
L5	3385	705/2-3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 20:54
L6	3698777	quarantin\$4 OR isolat\$7 OR discard\$7 OR reject\$7 OR dispos\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 20:54
L7	1226138	contaminat\$7 OR taint\$7 OR reject\$7 OR pollut\$7 OR dirty OR infect\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 20:54
L8	13780	biohazard OR (bio ADJ1 hazard) OR (health ADJ1 hazard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 20:54
L9	636	L6 L7 L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 20:54
L11	0	L5 L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/07 20:55
S1	3698777	quarantin\$4 OR isolat\$7 OR discard\$7 OR reject\$7 OR dispos\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:26

EAST Search History

S2	1226138	contaminat\$7 OR taint\$7 OR reject\$7 OR pollut\$7 OR dirty OR infect\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:27
S3	13780	biohazard OR (bio ADJ1 hazard) OR (health ADJ1 hazard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:29
S4	14973	OSHA OR ("Occupational Safety and Health Administration") OR CDC OR ("Center for Disease Control")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:30
S5	5011	S1 S2 S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/07 16:31
S6	636	S1 S2 S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 16:32
S7	523764	blood	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 16:38
S8	92	S6 S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 16:37
S9	139517	syringe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 16:38
S10	19	S6 S7 S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 16:40
S11	1950807	inventory OR procedure OR protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 16:40

EAST Search History

S12	80257	inventory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 16:40
S13	235499	log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 16:40
S14	2	S1 S2 S3 S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 16:42
S15	0	S1 S2 S3 S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 16:41
S16	5	S2 S3 S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 16:42
S17	7	S2 S3 S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 17:01
S18	60	S1 S7 S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 17:19
S19	51	S1 S9 S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 17:12
S20	14	S1 S2 S9 S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 17:02
S21	0	S1 S3 S9 S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/07 17:02


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

inventory blood hazard date:0-2001

Search Books

[Advanced Book Search](#)
[Google Book Search Help](#)
Search: ☒ All books ☐ Full view books

Books

Books 1 - 50 of 156 on inventory blood hazard date:0-2001. (0.48 seconds)


Fda Regulation of **Blood** Safety: notification, recall, and enforcement practices : hearing before... - Page 169

 by United States. Congress. House. Committee on Government Reform and Oversight. Subcommittee on Human Resources - Medical
 - 1998 - 300 pages

 force to **inventory** all current procedures for handling reports of adverse events

 ... the information, the **hazard** involved, the distribution of the product,

...


 Snippet view - [About this book](#)

Emergency Response Planning: For Corporate and Municipal Managers - Page 45

by Paul A. Erickson - 1999 - 564 pages

 ... Inc. Chemical **Inventory** Department Date Authorization Quality Control ...

 Ingestion; Surface Contact **Hazard(s)**: Oxidizer; Irritant; Toxic Target ...

 Limited preview - [Table of Contents](#) - [About this book](#)

Inventory of the County Archives of Delaware - Page 5

by Historical Records Survey (U.S.). Delaware, Delaware. Public Archives Commission - 1941

Inventory ... held by our **blood**," but Minuit ignored tho protest, garrisoned the

 fort, ... **Hazard**, Annals of Pennsy 1 vania, p. 69, hereinafter cited as **Hazard**«

 Snippet view - [About this book](#)
Sax's dangerous properties of industrial materials

by Sr Richard J Lewis, Newton Irving Sax - 1992

Page 700

No preview available

An **Inventory** of Congressional Concern with Research and Development ...: A Bibliography

by Claire Riley Geier - 1978

Page 348

No preview available

Registry of toxic effects of chemical substances. 1979 v. 2 [9th ed. publ 1980

1987

No preview available

Monthly Catalog of United States Government Publications

by United States. Superintendent of Documents, United States. Superintendent of Documents. Cataloging Branch - 1951

Page 1-219

No preview available

Handbook of **Hazard** Communication and Osha Requirements: compliance guide for the federal... - Page 3

by George G. Lowry, Robert C. Lowry - 1985

Sponsored Links

[Safety Software](#)

 For Small to Medium Companies
 Track People, Safety and Training
[www.kccsoft.com](#)
[OSHALOG ® Recordkeeping](#)

 OSHA300, Safety/Training Management
 Free Trial. The Original-since 1991
[www.safesoft.com](#)
[Risk Software](#)

 Prepare for Audits w/ Templates for
 SOX, HIPAA & PCI Certification.
[www.McAfee.com](#)
[Manage Safety: Software](#)

 Track Incidents. Print OSHA logs.
 Inspect with OSHA checklists.
[www.traonline.com](#)
[Safety Audit](#)

 Create your own Safety Audit
 Reports, Charts, and more
[www.synappnorth.com](#)




Written **Hazard** Communication Program 77 Hazardous Materials File 77 ... 79 Purchasing
79 Storage and **Inventory** 80 Disposal and Emergency Procedures 80 ...
Limited preview - [Table of Contents](#) - [About this book](#)




Biological Safety: Principles and Practice - Page 500
by Diane O. Fleming, Debra Long Hunt - Science - 2000 - 400 pages
CRITICAL COMPONENTS OF THE OM PROGRAM Using **Hazard** Assessment in OM Planning ...

Without administrative procedures for mandatory **inventory** and approval of ...
Limited preview - [Table of Contents](#) - [About this book](#)




Annals of Pennsylvania, from the Discovery of the Delaware.: From the Discovery of the Delaware... - Page 61

by Samuel Hazard - 1850
... to compel them to depart directly in peace, to prevent effusion of **blood**. ...
that there be made in their presence an accurate **inventory** of the whole. ...
Full view - [About this book](#)



Biological aspects of lead: v. 2
1972

The Pb in the **blood** of 5 workers ranged from 18-50 Ug%, and in urine, ...
A careful health **inventory** of all men who were engaged in any aspect of the ...
Snippet view - [About this book](#)




Report of the director, National Heart, Lung, and **Blood** Institute. 1980
1979

Studies have indicated that removal of white **blood** cells from platelet ...
Promise of Eventual Elimination of a Serious Transfusion **Hazard** In the United ...
Snippet view - [About this book](#)




Lead-Based Paint **Hazard** in American Housing: hearing before the Subcommittee on Housing and Urban... - Page 130

by Housing, and Urban Affairs. Subcommittee on Housing and Urban Affairs United States. Congress. Senate.
Committee on Banking - 1992 - 465 pages
... phas may confront scenarios such as: * A growing **inventory** of vacant units
... cause elevated **blood** levels or remaining out on the streets, doubled up, ...
Snippet view - [About this book](#)



Lead-Based Paint **Hazard** in American Housing: hearing before the Subcommittee on Housing and Urban... - Page 434

by United States Congress. Senate. Committee on Banking, Housing, and Urban Affairs.
Subcommittee on Housing and Urban Affairs, United States - 1992 - 465 pages
Abatement is required within 14 days of **hazard** identification for units occupied
by a child identified as having an elevated **blood** lead level. ...
Snippet view - [About this book](#)




Hazards of Lead in Schools and Day Care Facilities: Hearing Before the Subcommittee on Health and... - Page 69

by United States. Congress. House. Committee on Energy and Commerce. Subcommittee on Health and the Environment - 1993 - 98 pages
... leaded debris and leaded paint which provides an immediate health **hazard** to
... is an extant **inventory** of 3 million or more tons of leaded paint (3,4). ...
Snippet view - [About this book](#)

Lead-Based Paint **Hazard** Abatement ACT: Hearing Before the Subcommittee on Select Revenue Measures... - Page 125


by United States Congress. House. Committee on Ways and Means. Subcommittee on Select Revenue Measures,



United States - 1992 - 213 pages

Studies published through 1991 have demonstrated prenatal and postnatal effects of lead at **blood lead** levels as low as 7 ug/dl (4-7), a **blood lead** ...

Snippet view - [About this book](#)



Handbook of Employee Selection - Page 249

by Roy Melvin Dorcus, Margaret Hubbard Jones - 1950 - 349 pages

CRITERION: accident index: ratio of actual number of accidents to number expected (accident expectancy, mileage, daily and hourly variations in **hazard**, ...

Snippet view - [About this book](#)




Environmental Modeling with GIS - Page 383

by Michael F. Goodchild, Bradley O. Parks, Louis T. Steyaert - 1993 - 520 pages

A subchronic **hazard** ranking (SHR), defined as soil lead concentration in ppm ...

litter lead **hazard** indices (color coded), (d) children's **blood lead** levels, ...

Limited preview - [Table of Contents](#) - [About this book](#)




Earthquake Hazard Mitigation and Earthquake Insurance: field hearing before the Subcommittee on... - Page 675

by Finance, and Urban Affairs. Subcommittee on Policy Research and Insurance United States. Congress. House. Committee on Banking - 1990 - 1092 pages

He was unaware of the **Hazard** Mitigation Grant Program created by Section 404 of the Stafford Act, and the opportunities It and Section 406 offer for seismic ...

Snippet view - [About this book](#)



Agriculture-environmental and Consumer Protection Appropriations for Fiscal Year 1975, Hearings... - Page 9

by United States. Congress. Senate. Appropriations Committee - 1974

In this review the collection, processing, and distribution of **blood** and **blood** ... The quality of **blood** varies depending upon: The donor; the methods of ...

Snippet view - [About this book](#)




Research Quarterly - Page 148

by American Association for Health, Physical Education, and Recreation, American Physical Education Association - 1979

It is possible the accumulation of CO: in the **blood** reduces the excitability of the nerve centers ... A 186-item attitude **inventory** was developed to measure ...

Snippet view - [About this book](#)




Software Catalog Microcomputers Winter Update, 1987 - Page 140

by Not Available (NA) - 1987

An optional **blood** pressure check is built into the program. ... Health **hazard** appraisal - how to reduce risk of leading causes of death. ...

Snippet view - [About this book](#)




Annotated List of Publications of the Pacific Northwest Forest and Range Experiment Station

by Or.) Pacific Northwest Forest and Range Experiment Station (Portland - 1976

NIC IN **BLOOD** HAS NOT A GOOD INDEX TO APPLICATOR ... THAT CONFLICT IN RESOURCE DECISIONMAKING DOES NOT RESULT PRIMARILY FROM THE LACK OF INVENTORY DATA. ...

Snippet view - [About this book](#)



Department of the Environment Act of 1990: Hearings Before the Committee on Governmental Affairs,... - Page 348

by United States. Congress. Senate. Committee on Governmental Affairs - 1990 - 620 pages

Blood drives* 2. Immun i rations, and 3, **Blood** pressure checks, etc. and* i. ...

Support ing compliance with EPA and State **Hazard** Communication Standards ...

Snippet view - [About this book](#)




Building Materials: Dangerous Properties of Products in Masterformat Divisions 7 and 9 - Page 145

by Leslie H. Simmons - 1997

Reported in 'SCA Inventory'. PEL: CL 50 ppm TLV: CL 50 ppm (vapor) I ... A moderate explosion **hazard**. Can react with oxidizing materials to form explosive ...

Limited preview - [Table of Contents](#) - [About this book](#)




Oversight Hearings on OSHA's Proposed Standard to Protect Health Care Workers Against Blood-borne... - Page 49

by United States Congress. House. Committee on Education and Labor. Subcommittee on Health and Safety - 1990

The increase in knowledge over the last few years in how **blood**- ... participating in manufacturing and handling of **inventory** may also be considered at risk. ...

Snippet view - [About this book](#)



Encyclopedia of Pharmaceutical Technology - Page 246

by James Swarbirck, James C. Boylan - 2000

The MSDS information generally includes the types of **hazard**(s), ... ethers, compressed gases) and biological fluids (potential **blood**-borne pathogens). ...

Limited preview - [Table of Contents](#) - [About this book](#)



Encyclopaedia of Occupational Health and Safety

Medical - 1998 - 4 pages

Hazard Control and Risk Reduction Conceptually, the principles of **hazard** ...


inventory and analysis of exposures and at-risk populations • **hazard** ...

Limited preview - [Table of Contents](#) - [About this book](#)

Environmental Protection Research Catalog

by Smithsonian Institution. Science Information Exchange - 1972

No preview available




Nuclear Science Abstracts - Page 586

by U.S. Atomic Energy Commission, United States. Energy Research and Development Administration - 1976

(TFD) 5673 DEVELOPMENT OF POWER SOURCES FOR **BLOOD** PUMP APPLICATIONS. ...

This orientation of thermal converter to **blood** pump seemed to give the best overall ...

Snippet view - [About this book](#)




Hazards of Lead in Schools and Day Care Facilities: hearing before the Subcommittee on Health and... - Page 69

by United States Congress. House. Committee on Energy and Commerce. Subcommittee on Health and the Environment, United States - 1993 - 98 pages

... leaded debris and leaded paint which provides an immediate health **hazard** to

... is an extant **inventory** of 3 million or more tons of leaded paint (3,4). ...

Snippet view - [About this book](#)



CRC Handbook of Laboratory Safety - Page 87

by A. Keith Furr, (- 2000 - 774 pages

Any chemicals which pose a special **hazard** or risk shall be limited to the ...

An annual (or continuous) chemical **inventory** will be performed and sent to a ...

Limited preview - [Table of Contents](#) - [About this book](#)



Delmar's Dental Assisting: A Comprehensive Approach - Page 185


by Donna Phinney, Charline M Dofka, Judy H Halstead - Medical - 1999 - 800 pages

... that may have been contaminated with **blood** or I must be included. ... The OSHA

hazard communication standard is set up so that employees receive ...

Limited preview - [Table of Contents](#) - [About this book](#)

A Bibliography of documents issued by the GAO on matters related to health



by United States. General Accounting Office - 1981 - 289 pages
 ... More Promptly To Protect the Public From **Hazard**-ous Products (Report) 106267 Lack
 ... Hospital Purchasing, **Inventory** Management and Supply Distribution. ...
 Snippet view - [About this book](#)

Government Reference Books, 80/81

by Walter L. Newsome, Sally Wynkoop - 1982 - 430 pages
 Page 219
 No preview available



Differential Diagnosis of Speech and Hearing Problems of Mental Retardates: Proceedings - Page 26

by Edgar F. Waldon - 1968 - 264 pages
 Routinely the mentally retarded child should have a **blood** study and also a urine examination. ... A pneumoencephalography involves a **hazard** and is ...
 Snippet view - [About this book](#)




Prevention ... 1993/94 - Page 1993

1994
 An **inventory** of data sources for monitoring the national objectives was also ...
 workers and employers to create a **hazard**- and prevention- aware work force. ...
 Snippet view - [About this book](#)




Health Consequences of Service During the Persian Gulf War: Initial Findings and Recommendations... - Page 28

by Institute of Medicine - 1995 - 93 pages
 All 78 who participated in the interviews also had **blood** drawn for complete **blood** count, ... chemicals, radiation, or any other environmental **hazard**. ...
 Limited preview - [Table of Contents](#) - [About this book](#)



Appleton & Lange's Outline Review Clinical Chemistry - Page 469

by Robert H. Christenson, Lisa J. Johnson - 2001 - 515 pages
 C. **BLOOD-BORNE PATHOGEN EXPOSURE CONTROL** Clinical specimens are inherently ...
 These regulations limit occupational exposure to **blood** and other potentially ...
 Limited preview - [Table of Contents](#) - [About this book](#)



Lead-Based Paint Poisoning Prevention Act: hearing before the Subcommittee on Housing and... - Page 84

by United States Congress. House. Committee on Banking, Finance, and Urban Affairs. Subcommittee on Housing and Community Development - 1988 - 223 pages
 Current HUD regulations use 25 as the measure of an elevated **blood** ledd level
 ... and other porous surfaces 'may pose a more serious respiratory **hazard** than ...
 Snippet view - [About this book](#)

Business Periodicals Index

by H. W. Wilson Company - 1958
 Page 825
 No preview available

Inventory of Federal Archives in the States


by Historical Records Survey (U.S.), United States National Archives, Survey of federal archives (U.S.), National Archives Project - 1937
 Page 223
 No preview available

Ergonomics Abstracts - Page 146

by University of Birmingham Ergonomics Information Analysis Centre, Ergonomics Information Analysis Centre - 1969



... and low divisions on the three subscales of the Maslach Burnout **Inventory**.
... indicate that stress is becoming a health and safety **hazard** at work or in ...
Snippet view - [About this book](#)



Environmental Science & Technology

by American Chemical Society - 1967

It would compile a computerized **inventory** of the medical literature dealing with

... establish preliminary guidelines on what constitutes a health **hazard** in ...

Snippet view - [About this book](#)




Office-Based Surgery in Otolaryngology - Page 21

by Andrew Blitzer - 1998 - 478 pages

The office **Hazard** Control Plan must contain a protocol for minimizing exposures

... An up-to-date **inventory** of potentially hazardous substances used by or ...

Limited preview - [Table of Contents](#) - [About this book](#)




Agriculture--environmental and Consumer Protection Appropriations for 1975: Hearings Before a... - Page 9

by United States Congress. House. Committee on Appropriations. Subcommittee on Agriculture--Environmental and Consumer Protection Appropriations - 1974

In this review the collection, processing, and distribution of **blood** and **blood**

... The quality of **blood** varies depending upon: The donor; the methods of ...

Snippet view - [About this book](#)




Toxicology Desk Reference: the toxic exposure and medical monitoring index - Page 1256

by Claude E. Terry, Sanford S. Leffingwell, Robert P. Ryan - 1999 - 1537 pages

"Employee medical record" does not include medical information in the form of: (i)

Physical specimens (eg, **blood** or urine samples) which are routinely ...

Limited preview - [Table of Contents](#) - [About this book](#)




The Scientific Monthly - Page 78

by American Association for the Advancement of Science - 1957

From time to time it is fitting that we take an **inventory** of sugars as well as of

... Probably no one would **hazard** a predic-tion. For many manufactured food ...

Snippet view - [About this book](#)



The Double Dealer - Page 90

1966

Take **inventory**, whom have or had we, during the last stirring years! ... I **hazard**

that to him Randon personifies the strong, vital he-man. ...

Snippet view - [About this book](#)



Underground Uses of Nuclear Energy: Hearings, Ninety-first Congress, First [and Second]... - Page 21

by United States Congress. Senate. Committee on Public Works. Subcommittee on Air and Water Pollution - 1970

Strontium-90 is deposited in bone and results in exposure of **blood** forming ...

For these reasons it presents a potential long-term radiation **hazard** of ...

Snippet view - [About this book](#)

Gooogle ►

Result Page: 1 2 3 4 **Next**

inventory blood hazard date:0-2001

Search Books

[Google Book Search Help](#) | [Advanced Book Search](#)

[About Google Book Search](#) - [Book Search Blog](#) - [Information for Publishers](#) - [Google Home](#)

©2007 Google